



DELETE MEANS TO OVERWRITE


AC (AUTHENTICATION CODE)


NUMBER OF INSTALLS BEFORE


LOCK, DISABLE, OR






















550




























Fig. 34





























-162'

-230'

**USER SYSTEM** 

152'

120'

REMOTE SERVER

ISER OPENS, EXECUTES OR THERWISE UTILIZES DIGITAL AUTHORIZED REPRESENTATIVE

**AUTHORIZED REPRESENTATIVE** 

THERWISE UTILIZES DIGITAL CONTENT FOR SECOND TIME

THERWISE UTILIZES DIGITAL

CONTENT FOR FIRST TIME

JSER OPENS, EXECUTES OR

JSER TRANSFERS AND INSTALLS

CRSM (COMPUTER READABLE

STORAGE MEDIUM) SOURCE

DIGITAL CONTENT AND/OR

AR MODULE(S) FROM CRSM

ISER OPENS, EXECUTES OR

CONTENT FOR Nth TIME

REPEATEDLY AUTHENTICATES

AT PERIODIC INTERVALS

I.E., CALENDAR DAYS, UPON

EXECUTION, RANDOM, ETC.)

JSER ATTEMPTS TO OPEN,

JTILIZES DIGITAL CONTENT

JTILIZES DIGITAL CONTENT

EXECUTE, OR OTHERWISE

JSER ATTEMPTS TO OPEN,

JSER ATTEMPTS TO OPEN execute, or otherwise

AUTHENTICATES

REPEATEDLY

REPRESENTATIVE

NFORMATION) - MAY INCLUDE

NAME, EMÁIL ADDRESS

SUPPLY RI (REGISTRATION

- 200

OPTIONALLY SUPPLY FIRST

**AUTHENTICATION CODE** 


MAC ADDRESS, HARDWARE


ID. IP. ETC.


**AUTHORIZED** 


AUTHENTICATES


**JSER ACQUIRES CRSM (COMPUTER** READABLE STORAGE MEDIUM) **MISCELLANEOUS FUNCTIONS** JSER OR USER SYSTEM MAY SOFTWARE DISTRIBUTION) CONTACT REMOTE SERVER ADD SECONDARY DEVICES AND SERVICES AND/OR OR ALTERNATE AR FOR OTHER ELECTRONIC **ESD (ELECTRONIC** DISTRIBUTION 0


























seid. 53


550

















SOFTWARE PUBLISHER CREATES SOFTWARE (DIGITAL CONTENT) WHICH INCLUDES AT LEAST ONE IDENTIFIER WHICH INDICATES THAT ANTI-PIRACY PROTECTION OR OTHER SERVICES ARE -1150 DESIRED IN COOPERATION WITH ANTI-PIRACY PROCESS FILE SUFFIX - systemprotect z4z4z4.xxx FILE EXTENSION - system protect.xxxz4z4z4 FILE PREFIX - z4z4z4systemprotect.xxx EMBEDDED CODE - ...z4protectz4... BINARY CODE - 01100101...11111111...0011010 OTHER MEANS OF IDENT - ....xxxxx..... OPTIONALLY ENCRYPT (SYMMETRIC, ASYMMETRIC, OR -1152 OTHER PRIOR ART ENCRYPTION MEANS) OPTIONALLY MAKE IDENTIFIER TAMPER RESISTANT -1154 HIDE IDENTIFIER LOCK IDENTIFIER DISALLOW FILE NAME CHANGE DISABLE FILE IF TAMPERED WITH IF FILE NAME IDENTIFIER CONFLICTS, ALLOW FOR FILE NAME CHANGE (I.E., INCREMENT, USE ALTERNATE FILE NAME, ETC.) -1156 systemprotect**z4z4z4.**xxx = systemprotect**z4z4z4n**.xxx systemprotect.xxx**z4z4z4** = systemprotect.xxx**z4z4z4n** z4z4z4systemprotect.xxx = z4z4z4nsystemprotect.xxx -1158 INCLUDE ADDITIONAL BACKUP OR HIDDEN IDENTIFIERS PUBLISH SOFTWARE (DIGITAL CONTENT) BY ANY CONVENIENT -1160 MEANS (I.E., DVD, CD, WRITEABLE, WIRELESS, ELECTRONIC

Fig. 67

SOFTWARE DISTRIBUTION, ETC.) AND DISTRIBUTE TO USER

SOFTWARE PUBLISHER CREATES SOFTWARE (DIGITAL CONTENT) WHICH INCLUDES AT LEAST ONE IDENTIFIER WHICH INDICATES THAT ANTI-PIRACY PROTECTION OR OTHER SERVICES ARE -1150 DESIRED IN COOPERATION WITH ANTI-PIRACY PROCESS FILE SUFFIX - systemprotect z4z4z4.xxx FILE EXTENSION - systemprotect.xxxz4z4z4 FILE PREFIX - z4z4z4systemprotect.xxx EMBEDDED CODE - ...**z4protectz4**... BINARY CODE - 01100101...**11111111**...0011010 OTHER MEANS OF IDENT - .... xxxxx..... OPTIONALLY ENCRYPT (SYMMETRIC, ASYMMETRIC, OR -1152 OTHER PRIOR ART ENCRYPTION MEANS) OPTIONALLY MAKE IDENTIFIER TAMPER RESISTANT -1154 HIDE IDENTIFIER LOCK IDENTIFIER DISALLOW FILE NAME CHANGE DISABLE FILE IF TAMPERED WITH IF FILE NAME IDENTIFIER CONFLICTS. ALLOW FOR FILE NAME CHANGE (I.E., INCREMENT, USE ALTERNATE FILE NAME, ETC.) -1156 systemprotect**z4z4z4.**xxx = systemprotect**z4z4z4n**.xxx systemprotect.xxx**z4z4z4** = systemprotect.xxx**z4z4z4n z4z4z4**systemprotect.xxx = **z4z4z4n**systemprotect.xxx -1158 INCLUDE ADDITIONAL BACKUP OR HIDDEN IDENTIFIERS PUBLISH SOFTWARE (DIGITAL CONTENT) BY ANY CONVENIENT -1160 MEANS (I.E., DVD, CD, WRITEABLE, WIRELESS, ELECTRONIC SOFTWARE DISTRIBUTION, ETC.) AND DISTRIBUTE TO USER

INSTITUTE PROTECTION THROUGH ANY AUTHORIZED ADMINISTRATOR OF THE PRESENT INVENTION

Fig. 68

